

MATERIAL SAFETY DATA SHEET

(Effective date: September 22, 2000)

SECTION I.

MANUFACTURER AND PRODUCT

Page 1 of 2

Manufactured for Conception Technologies by:

InVitroCare Incorporated
San Diego, CA 92121

Product:

Name: Enhance Sperm Washing Medium with Gentamicin
Cat. No: EWG-12, EWG-100, EWG-500

Description: An aqueous, isotonic, complex mixture of organic and inorganic salts and simple carbohydrates, at neutral pH intended for *in-vitro* mammalian cell culture. Contains 5.0 mg/mL human serum albumin, 0.010 mg/mL gentamicin and 0.003 mg/mL phenol red as a pH indicator.

SECTION II.

PHYSICAL DATA

Boiling Point: n/av	Specific Gravity: 1.0
Melting Point: n/av	Vapor Density: n/av
Vapor Pressure: n/av	Evaporation Rate: n/av
Appearance: Pink color, clear liquid	Solubility: n/a

SECTION III.

HAZARDOUS INGREDIENTS

Contains the aminoglycoside gentamicin sulfate. This broad spectrum antibiotic has been associated with nephrotoxicity and/or ototoxicity when administered i.v. and serum concentrations are maintained at static levels above 10 mcg/mL for extended periods. Contains 5.0 mg/mL human serum albumin, a potentially biohazardous material.

SECTION IV.

FIRE AND EXPLOSION HAZARD DATA

Fire Hazard: Non-flammable
Extinguishing Media: Water, CO₂ or other media suitable for extinguishing fire
Special Fire Fighting Procedures: None
Unusual fire and Explosion Hazards: None

SECTION V.

HEALTH HAZARD DATA

Toxicity data: LD₅₀ not established for this product.
Effects of Overexposure: Not established for this product. Contains a human source material, the toxicological properties of which have not been thoroughly investigated.
Emergency and First Aid Procedures: In case of eye contact, flush with copious quantities of water, In case of serious hypersensitivity reaction, rush for immediate medical attention. If swallowed, wash out mouth with water provided the person is conscious. Call a physician.

Product:

Name: Enhance Sperm Washing Medium with Gentamicin
Cat. No: EWG-12, EWG-100, EWG-500

Page 2 of 2

SECTION VI.**REACTIVITY DATA**

Stability: Stable
Conditions to avoid: Do not expose product to elevated temperatures (above 40C) for extended periods. Store product at 2 - 8C when not in use.
Incompatibility: n/a
Hazardous Decomposition Products: n/a
Hazardous Polymerization: Will not occur

SECTION VII.**SPILL OR LEAK PROCEDURES**

Spills: Use absorbent material to mop up spill. Wash area with water.
Waste Disposal: Disposed of in an approved land fill or incinerate providing local environmental regulations permit.

SECTION VIII.**SPECIAL PROTECTION INFORMATION**

Respiratory Protection: NIOSH/MSHA approved mechanical dust/mist cartridge respirator.
Ventilation: Local exhaust adequate; mechanical recommended
Protective Gloves: Rubber gloves
Eye Protection: Chemical safety goggles
Other Protective Equipment: Overalls, etc.

SECTION IX.**SPECIAL PRECAUTIONS**

Precautions to be taken in handling and storing: Avoid any unnecessary contact with skin, eyes or mucus membranes. Do not mouth pipette. Store in cold room (2 - 8C). Individuals with previous history of allergy to antibiotics and/or asthma, should avoid potential exposure.

SECTION X.**DISPOSAL CONSIDERATIONS**

Disposal should be in accordance with existing disposal practices employed at your institution for infectious waste. Observe all federal, state and local environmental regulations.

SECTION XI.**DISCLAIMER**

The above information is believed to be correct and reported in good faith. The information shall not be taken as being all inclusive and is to be used only as a guide with caution. Neither Conception Technologies nor InVitroCare Incorporated shall be held liable for any damage resulting from handling or from contact with the above product.